THE HISTORY AND ARCHAEOLOGY OF CATHEDRAL SQUARE PETERBOROUGH

Stephen Morris

ARCHAEOPRESS ARCHAEOLOGY

ARCHAEOPRESS PUBLISHING LTD

Gordon House 276 Banbury Road Oxford OX2 7ED

www.archaeopress.com

ISBN 978 1 78491 661 9 ISBN 978 1 78491 662 6 (e-Pdf) © Archaeopress and the individual authors 2017

Cover: View of Cathedral Square in 2009, looking east from the tower of St John the Baptist, towards the Cathedral Gateway

All rights reserved. No part of this book may be reproduced, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright owners.

Contents

List of Figures	V
List of Tables	vii
Contributors	ix
Acknowledgements	xi
1. Introduction	
Background	
Location and topography	
Original objectives	
Methodology	
Fountain area excavation	
Detailed watching brief	3
2. Historical background	7
Prehistory	
Iron Age and Roman settlement	7
The early monastery	7
The Danish raid, the rebuilding of the monastery and the Saxon burh	7
The church of St John the Baptist	8
The dissolution of the monastery	
John Speed's map of 1610	
Thomas Eyre's map of 1721	
The twentieth century	
3. The Archaeology of Cathedral Square	
Archaeological interventions and summary chronology	
Anglo-Saxon activity (7th to 11th centuries)	
The underlying natural geology	
A lack of buried soil	
Early features	
Abbot Martin de Bec's 'New Town' (12th-14th centuries) The New Town	
Abbot de Bec's market square, 1145	
The Norman or West Gate of the Cathedral precinct	
The watercourse and the Cathedral Gateway Bridge	
The Chapel of St Thomas the Martyr	
Medieval features along Cumbergate	
A medieval building (Building 1)	
Dark organic street silts	
The church of St John the Baptist (15th century)	
The new parish church	
A previously unknown cemetery	24
Church Street	
The post-medieval Cathedral Square (late 15th-17th centuries)	26
Building in the south-east corner of Cathedral Square	
Street surfaces and paths	
Street monument: The market cross?	
Butchers Row	
Dark organic silts	
The Guildhall and the redevelopment of the square (late 17th century)	
The Guildhall	
Resurfacing of the square	
Churchyard pitched-stone surface Church Street pavement	
Queen Street	
Surface silts	

Redevelopment of Cathedral Square (late 18th early 19th centuries)	
Resurfacing of the square	35
Surface silts	37
The modern square (19th-20th centuries)	38
Buildings between the parish church and the Guildhall	39
The Corn Exchange	39
Bridge Street (Narrow Bridge Street)	39
Cumbergate	39
Exchange Street	39
Queen Street, 18th-century townhouse	39
Cowgate trench	41
Church of St John the Baptist	43
Victorian services	43
Development in the 20th century	46
4. The finds and environmental evidence	49
The pottery	
The pottery fabrics	
Residuality and the industries supplying the Market Square	
Dating and context	
Key structures and deposits:	
Cathedral Square, Building 3	
The dark silts	
Building stone	
Stone mortar	
Architectural stone in Alwalton marble	
Capital	53
Shaft	53
Other architectural stone from the Street Monument	53
Other architectural stone	53
Catalogue of worked stone illustrations	53
Stone roof tile	55
Other finds	56
The finds	
Personal possessions	58
Buckles	
Lace chapes	
Mounts	
Pins	
Miscellaneous fittings	
Purse frame	
Recreation	
Building equipment	
Household equipment	
Kitchen ware	
Key	
Candle holder	
Vessel glass	
Tools	
Shears	
Thimbles	
Knives	
Whittle-tang knives	
Scale-tang knife	
Trade	
Horse equipment	
Weapons	
Catalogue of Illustrated finds	62

Millstone	62
Wood	62
Coins	62
Leather	64
Methodology	64
Late medieval footwear	64
Sixteenth-century footwear	65
Seventeenth-century footwear	65
Bucket	66
Straps	66
Waste leather	66
The leather from Cathedral Square in its local and regional context	66
Catalogue of illustrated leather	67
Ceramic building material	67
Brick	67
Ceramic roof tile	67
Ceramic floor tile	69
Mortar and plaster	70
Clay tobacco-pipes	70
The animal bone	
The animal bone assemblage	70
Species present	71
Ageing and sexing	71
Pathologies	71
Discussion	72
Plant macrofossils	72
Marine shells	73
5. Discussion	75
Introduction	75
Origins and development	75
The market place	76
Artefacts and trade	77
Structures on the market place	78
Building 3	78
Street monument: the market cross?	79
The graveyard	
Conclusions	80
Rihlingranhy	81

List of Figures

Fig 1.1: Site location	2
Fig 1.2: Development areas	4
Fig 2.1: The Norman or West Gate to the Cathedral Precinct in 2009, prior to development, looking east	8
Fig 2.2: The Church of St John the Baptist and the Guildhall in 2009, Prior to development, looking south-west	9
Fig 2.3: John Speed's Map of Peterborough, 1610 (Peterborough Museum)	10
Fig 2.4: The Guildhall, built in 1671, looking south-west	11
Fig 2.5: Thomas Eyre's Map of Peterborough, 1721	12
Fig 2.6: Miss Frances Pears' Almshouses (now Harriet's Tearooms) on Exchange Street, looking north-east	12
Fig 2.7: The plaque dedicated by the Foeffees to Miss Frances Pears for her funding to assist the aged and infirm of the pa of Peterborough	
Fig 2.8: The Gates Memorial, moved from Cathedral Square to Bishops Road Gardens in 1963, looking north	13
Fig 2.9: Peterborough City hall, built in the 1930s on the newly created Bridge Street, looking east	13
Fig 2.10: Cathedral Square, looking east, from the tower of the Church of St John the Baptist in 1919 (the Francis Frith collection)	14
Fig 2.11: Cathedral Square, looking east, from the tower of the Church of St John the Baptist in 2009	14
Fig 3.1: Posthole with <i>in situ</i> wooden post, at the east end of Cathedral Square	18
Fig 3.2: Survival of the 12th-century Market Square surface	19
Fig 3.3: de Bec's Market Square surface, sealed by dark silt of the 12th to 17th centuries, Cathedral Square, looking west	20
Fig 3.4: Gas trench at the cathedral west gate, showing stone foundations of the 12th to 14th centuries, looking north-east	t 20
Fig 3.5: Foundation of the south turret of the 14th-century west gate, partially disturbed by services of the early 20th century, looking south-east	21
Fig 3.6: Buildings at the east end of Cathedral Square	22
Fig 3.7: Medieval and post-medieval street frontages along Cumbergate	23
Fig 3.8: Dark silt over de bec's market square surface, on the north side of cathedral square	24
Fig 3.9: De Bec's market square surface, with overlying dark silt and showing later resurfacing	24
Fig 3.10: Early churchyard wall, north side of Church Street, looking north	25
Fig 3.11: Churchyard burials to the west of the church	26
Fig 3.12: The skull of burial HB1	26
Fig 3.13: The femurs of burial HB6 overlying the feet of one or two earlier burials, HB7	26
Fig 3.14: Kerb stones edging a pathway of the 15th century, against the stone churchyard wall (right), with the road (left) a lower level, trench 6	
Fig 3.15: The pavement surfaces in Church Street from the 12th to 20th centuries (top) and the pavements in relation to t sunken churchyard (bottom)	
Fig 3.16: The fountain array area with the two deeper trenches containing walls and floors of Building 3, looking north-east	st 29
Fig 3.17: Extant stone wall of Building 3 (foreground) with robbed wall and floors behind, looking north	30
Fig 3.18: Building 3, the east wall, foreground, and narrow internal walls and floors behind, built over the levelled remains Building 1, looking west	
Fig 3.19: Pavement and street surface on the west side of Building 3	30
Fig 3.20: Remains of the 15th-16th-century street monument in Cathedral Square	31
Fig 3.21: Stone mortar set in the floor of building on Butchers Row, possibly to use as a urinal	31
Fig 3.22: The sexton's house, floor layers and possible urinal in section	32

Fig 3.23: Flagstones at west end of churchyard may outline the location of the sexton's house at the north end of Butchers Row, looking south towards the surviving burgage tenement buildings on church street	32
Fig 3.24: The Guildhall in 1896, looking west, showing the row of buildings between the Guildhall and the church	33
Fig 3.25: The eastern façade of the Guildhall	33
Fig 3.26: Guildhall stone foundations in fountain drain trench on the east side of the building, Guildhall to right, looking south-west	34
Fig 3.27: Pitched-stone path of the 17th century, overlaid by a pitched-stone pavement of the late 18th to early 19th century both abutting the churchyard stone wall (right), looking west	
Fig 3.28: Street surface of the 17th century, overlaid by the dark silt, cut by a modern pipe trench to the right, Queen Street, looking south	
Fig 3.29: Pitched-stone surface of the late 18th- to early 19th centuries, with underlying make-up layers, sealing the dark silt under Cathedral Square in the east, looking north	
Fig 3.30: Pitched-stone pavement with an open gutter along its outer edge, to the south of the church, cut by a Victorian brick culvert, looking east	37
Fig 3.31: Pitched-stone pavement of the 18th century, cut by a brick culvert of the 19th century, south of the church	37
Fig 3.32: Pavement at the east end of the churchyard wall, looking west	38
Fig 3.33: Buildings of the 17th century surviving on Church Street, looking south	38
Fig 3.34: Buildings between the parish church and the Guildhall	40
Fig 3.35: West of the Guildhall, a stairwell with steps down to the cellar threshold, Building 8, Cellar 4,	41
Fig 3.36: North-west of the Guildhall, stone cellar wall and brick floor, Building 7, Cellar 2,	41
Fig 3.37: Corn exchange; remains of wall and floor of the subterranean toilet, looking east	42
Fig 3.38: Miss Pears' almshouses, looking north east, with garden brick wall foundations (foreground)	42
Fig 3.39: An 18th-century town house on Queen Street, now The Grapevine public house, looking west from Exchange Stree	t. 43
Fig 3.40: Church gateway, north-west corner of the churchyard, looking north onto Exchange Street	44
Fig 3.41: Churchyard railings on the north side of the church	44
Fig 3.42: Graffiti on 19th-century lead pipes on the church of St John the Baptist: showing a name, GRAIL, and a date of 1832 (left), and a figure in top hat and tails in a pugilist pose (right)	
Fig 3.43: Victorian brick culvert on the north side of Church Street, cutting a pitched-stone pavement of the late 18th to earl 19th century	
Fig 3.44: Excavated section through culvert, looking north	46
Fig 3.45: Remnant granite setts of the late 19th to early 20th century, under the Cathedral's West Gate, looking south	46
Fig 3.46: Present day Cathedral Square, with the new fountain arrays in use, looking east towards the Cathedral's West Gate.	47
Fig 4.1: Medieval mortar in Barnack limestone (SF79)	
Fig 4.2: Octagonal capital or base in Alwalton marble (SF58)	55
Fig 4.3: Possible corbel, with a half roll	56
Fig 4.4: Part of respond/jamb (SF60)	57
Fig 4.5: Part of an octagonal moulding, possibly a step (SF59)	58
Fig 4.6: Metal finds (6-16)	63
Fig 4.7: Leather shoes (17-20)	68
Fig 4.8: Oates and Green brick (left), Halifax (right) and local Star brick (below)	69

List of Tables

Table 3.1: Summary of chronology	48
Table 4.1: Pottery fabrics	50
Table 4.2: Other finds quantified by material type	
Table 4.3: Other finds by functional category	59
Table 4.4: Dimensions of complete bricks	69
Table 4.5: Animal bone fragmentation	71
Table 4.6: Mammals present	
Table 4.7: Birds present	71
Table 4.8: Animal bone from dark silt sieved samples	71
Table 4.9: Tooth eruption and wear of main domesticates	72
Table 4.10: Plant macrofossils, taxa present	73

Contributors

Stephen Morris

Project Supervisor Northamptonshire Archaeology now MOLA (Museum of London Archaeology)

Andy Chapman BSc MCIfA FSA

Formerly Senior Archaeologist (publication), Northamptonshire Archaeology now MOLA (Museum of London Archaeology)

Pat Chapman BA CMS ACIfA

Formerly Project Supervisor (post-excavation) Northamptonshire Archaeology now MOLA (Museum of London Archaeology)

Charlotte Walker BSc ACIfA

Formerly Project Officer Northamptonshire Archaeology now MOLA (Museum of London Archaeology)

Iain Soden BA MCIfA

Formerly Senior Project Manager Northamptonshire Archaeology

Jackie Hall PhD

Cathedral Archaeologist, Peterborough Cathedral Consultant Archaeologist and Buildings Historian

Tora Hylton

Project Manager (finds and archives) Northamptonshire Archaeology now MOLA (Museum of London Archaeology)

Ian Meadows BA

Formerly Senior Project Manager Northamptonshire Archaeology

Quita Mould BA MA FSA

Freelance archaeological specialist in archaeological leather of all periods

Karen Deighton MSc

Formerly Project Manager (Environmental archaeology) Northamptonshire Archaeology

Acknowledgements

The fieldwork was funded by Opportunity Peterborough (Peterborough City Council), through the principal contractor, Osborne. The fieldwork was monitored by Peterborough City Council Archaeological Service (PCCAS), initially the City Archaeologist, Ben Robinson, and in the later stages of fieldwork and through post-excavation by Rebecca Casa-Hatton. The Project Manager for Northamptonshire Archaeology was Adam Yates. The principal fieldworker was Stephen Morris, with assistance from Adrian Adams, James Burke, Rob Butler, Jason Clarke, Paul Clements, Nathan Flavell, David Haynes, Paul Kajewski, Laszlo Lichtenstein, Steve Porter, Rob Smith, Susan Stratton and Yvonne Wolframm-Murray. Stephen Morris has analysed the site record and prepared the report, with editing by Charlotte Walker. Pat Chapman and Andy Chapman have prepared the report for publication. The illustrations are by James Ladocha, Amir Bassir, Andy Chapman and Charlotte Walker. The client report prepared for PCCAS comprised the overview presented here, accompanied by a lengthy exposition of the full archaeological evidence, trench by trench. The client report will be available online through the Archaeology Data Service (ADS).

1. Introduction

Background

Planning permission (Ref 08/1383/R3FUL) was obtained by Opportunity Peterborough to undertake improvement works in Cathedral Square, Peterborough as part of their Public Realm Proposals. The overall site covers approximately 0.8ha and is an open public square (centred at NGR TL 1910 9865; Figs 1.1 & 2.1). The centre piece of the development was the construction of a water feature composed of two triangular fountain arrays, to the east of the 17th-century Guildhall. The other major development was the demolition of the Corn Exchange and its replacement with the new St John's Square, incorporating a stepped grassed terrace to the west of the parish church of St John the Baptist. These works were undertaken by Osborne.

The programme included new stone pavements encompassing the areas of Cathedral Square, from the Cathedral Gateway in the east to Cowgate, Queen Street and St John's Square to the west. On the north side the development extended into Cumbergate and Exchange Street, and Church Street on the south side. The enclosed yard around the parish church of St John the Baptist was also opened up. The street improvement involved the removal of the current paving slabs, the diversion of telecommunication cables and other buried utilities, the excavation of new service trenches and drainage gullies, prior to the laying of new construction materials and paving.

A cultural heritage assessment of the site identified that the development could affect archaeological remains in the area (Finch and Jones 2008). Peterborough City Council Archaeology Service (PCCAS) requested a programme of archaeological evaluation comprising the excavation of a series of archaeological test trenches.

A specification was produced by CgMs Consulting based on the brief for the proposed evaluation (Ref 10358/08/02 October 2008) which was undertaken in two phases by Northamptonshire Archaeology between November 2008 (Burke 2008) and January 2009 (in this report), from which significant archaeological remains were identified, including medieval to post-medieval stone surfaces and stone buildings. This allowed PCCAS to make informed recommendations to the local planning authority regarding the nature of archaeological mitigation for the development of the proposed fountain array, for which a brief for archaeological investigation was produced.

The core of the archaeological excavation was carried out from March to May 2009 and was centred on the

trenches of the fountain array and related service trenches which were 1.0m to 1.9m below ground level. The overall development of the square was covered by a watching brief between July 2009 and August 2010, with general construction levels extending to 0.4m below current ground level. This was subject to modification in order to avoid disruption to utilities and service diversions, with deeper excavations for the new drainage and service trenches, to 2.0m deep.

The archaeological works conformed to the requirements of a specification prepared by Northamptonshire Archaeology (NA 2009) and based on the brief issued by the Peterborough City Archaeologist setting out the archaeological measures required to mitigate the impact of the development upon the archaeological resource (Robinson and Cassa-Hatton 2009).

Location and topography

The development area was centred on Cathedral Square, within the commercial centre of the city of Peterborough between the Cathedral Gateway to the east and Cowgate to the west, Church Street to the south and Exchange Street and Cumbergate to the north (Figs 1.1 and 1.2). It occupied an area of approximately 1ha, extending 200m east to west by 50m north to south. The street surfaces of the Square gently sloped down from Cowgate and Church Street in the west at 8.3m above Ordnance Datum (aOD) to the Cathedral Gateway at 7.7m aOD at the east end of the site. There was also a distinct rise in ground level from Church Street to the Queensgate entrance, Cumbergate and Exchange Street on the north of the development area at 8.8m aOD.

The Parish Church of St John the Baptist lies to the west of Cathedral Square and the Guildhall, with St John's Square (site of the former Norwich Union Building) to the west side. The north and south sides of the church are bounded by Exchange Street and Church Street respectively. The church was situated in a hollow, enclosed by a narrow, mostly level walled churchyard, set below the surrounding street level at 7.8m aOD. A clear differentiation in the street levels was visible with the churchyard 0.5m below Church Street, with at least a 1m drop from Exchange Street to the churchyard.

The underlying drift geology is believed to be river terrace deposits (sands and gravels) overlying Limestone Cornbrash based upon Oxford Clay and Kellaways Beds.

(http://www.bgs.ac.uk/geoindex/index.htm).



FIG 1.1: SITE LOCATION

Site location

250m

© Crown copyright. All rights reserved. Northamptonshire County Council: Licence No. 100019331. Published 2015

0

Original objectives

The broad objectives were to provide detailed information regarding the date, character, extent and degree of preservation of all archaeological remains, and to define the sequence and character of activity at the site as reflected by the excavated remains; and to interpret the archaeology of the site within its local, regional, and national archaeological context.

The general investigative themes outlined by: Research and Archaeology: A Framework for the Eastern Counties (Glazebrook 1997; Brown & Glazebrook 2000), Exploring Our Past (English Heritage 1991), English Heritage Archaeology Division Research Agenda (1997) would also be considered.

Specifically, the investigative aims accommodated in the programme of archaeological work were to:

- Characterise and record the medieval and postmedieval market place, and street surfaces, including in-built features such as drainage gutters, decorative patterns, and partitions that relate to functional divisions;
- Analyse the construction techniques and materials used for the medieval and post-medieval market place, streets, and associated features;
- Identify record and analyse the buildings and structures that once occupied the market place. At various times covered crosses, whipping posts, moot halls, counting houses, bakeries and butchers' shambles have been noted in historic documents;
- Identify and characterise the activity that took place prior to the establishment of the formal market place;
- Characterise the pre-market place environment and an examination of the market place activities, and sanitation standards. Peterborough's regional market role was to be investigated through the analysis of palaeo-environmental evidence;
- Examine Peterborough's regional market role through analysis of artefacts.

Methodology

The purpose of the investigation was to provide a record of archaeological remains that could not be preserved *in situ* during the proposed development scheme. The investigation required pre-emptive excavation of the fountain array areas and targeted monitoring of construction groundwork by maintaining a watching brief during works in sensitive areas, and recording significant archaeological remains in detail where disturbance was unavoidable.

Works were undertaken with the close cooperation of the contractors, Osborne. The construction excavations and works adhered to basic engineering requirements, but adapted to ground conditions, service locations, etc. encountered at the time of excavation. The approach to archaeological recording responded flexibly to such adaptations and targeted areas and deposits according to their vulnerability to damage and significance to the objectives. Where remains could be successfully preserved *in situ* through adaptations to construction design archaeological work was limited to noting the extent and character of preserved remains and monitored the phase of back-filling and consolidation.

The archaeological contractor liaised closely with the groundwork contractors in order to allocate recording effort efficiently and to avoid disruption to the construction schedule. Any exceptional finds or issues were brought to the attention of the Peterborough City Council Project Supervisor and Site Supervisor. The City Archaeologist was available to assist in field decisions about the necessary level of recording and preservation options.

The work was carried out in accordance to the Institute for Archaeologists' *Code of Conduct* (IfA 2008, 2009 and 2010) and standards for both excavation and watching brief and finds work (IfA 2008a, 2008b, 2008c). Recording followed standard Northamptonshire Archaeology procedures (NA 2006). An Updated Project Design was produced in 2012 to inform the final report (Morris and Yates 2012).

Fountain area excavation

The development included the construction of a fountain array comprising two triangular areas of 15 and 10 fountain risers, respectively. The fountain array is in Cathedral Square immediately east of the Old Guildhall and is fed by pipes from an underground pump room which was built in the disused public toilets north-west of the Old Guildhall (Fig 1.2).

The two triangular areas which encompassed the array of fountain risers, of 140m2 and 115m2, were excavated to 0.75m to 1.2m below ground level and were surrounded by a circuit of pipe trenches 1m to 2m wide and between 0.9m and 1.5m deep. The pipe trenches to feed the risers were excavated to 0.9m deep in corridors 0.70m wide. The fountain array was fed by a pipe trench *c*.20m long by 3m wide and 1.5m to 1.7m deep.

Detailed watching brief

The construction works comprised the removal of the current paving slabs, the diversion of telecommunications cables and other buried utilities, the excavation of drainage channels and gullies, and the deposition of construction materials and new paving. The works took in the whole of Cathedral Square, St John's Square, Church Street, Exchange Street and Cumbergate (Fig 1. 2).

FIG 1.2: DEVELOPMENT AREAS

The construction excavations extended to about 0.40m below current ground level, but this was modified to lesser depths where necessary and feasible in order to preserve archaeological remains and to avoid disruption to utilities. The diversion and lowering of services and consolidation of soft spots required excavations of varying extents below the general 0.40m construction depth.

The first phase of works involved the excavation of two main drainage channels 0.75m wide, along Church Street

and Exchange Street. These were excavated to 1.0m and 2.0m below ground level. They are fed by smaller shallower gullies at 20m intervals. Approximately twenty holes 1.5m square and up to 2m deep were required for inspection chambers. The second element of the scheme was the construction of a pavement circuit 3m wide, around the perimeter of the entire central public realm area and the diversion of shallow services in this area. Deeper service exposure and diversion for the gas main was required at the east end of Cathedral Square, to the west of the Great Gate.